RECEIVED FROM RECEIVED FROM RECEIVED FROM RECEIVED FROM Per. and Ltc. DEPARTMENT OF ECOLOGY RECEIVED FROM DOLLARS DOLLARS Check Check Per. and Ltc. Linvestments Registration By Thank You ECY010-144 RECY010-144 RECY010-144
--

REPORT OF EXAMINATION Routing Slip Rev. 8/90



	<u>Initial</u>	<u>Date</u>
Author	23	10/11/91
Tracking	25	copylai
Typist	Jeb Do	16-23-91 10-28 91
Proofed By Typist		
Checked by Author	200	10/24/91
Checked by Reviewer (1)	VW	10/25/91
Checked by Reviewer (2)	Chris	10/29/91
Typist & Proofing	Deb	10-28-91
Author's Signature	≤ 15	10/31/91
Approval and Signature Section Supervisor	97B	H2/92 1/3/92
Mail Copies of Report to:	. 0	
1) Fish	2) Wildlife	
3) Protestant(s)	4) Others	
Mail Originals and cc's		
Tracking		•
·		· · · · · · · · · · · · · · · · · · ·
	/	

6/90

WRIA 17 CEFFEISON

WATER RIGHT APPLICATION FIELD EXAMINATION CHECK LIST

APPLICATION NO.	- PPLICAN	+ JANET PERKA
FOD LOCATION: 7 T3ONRIW (SECTION)	(1/4, 1/4)	*
PROJECT STATUS:		17 5W NE
[] Proposed	Exis	ting and In Use .
[] Partially Construct	ted [] Expa	nsion of Existing System
DESCRIPTION OF WATER DELIVER	KY SYSTEM:	
Pump: (Type)System Pressure:		(Capacity)
PROPOSED USE(S):		Single
[] Industrial	[] Municipal	Domestic
Irrigation	Stockwater	[] Fish Propagation
[] Beautification	[] Recreation	[] Wildlife Refuge
[] Power Generation	[] Other	
USE DETAILS:		
Crop Type	Use Seaso	on
Acreage: (Present) _	(Planned)	(Feasable)
Number of Services	# Homes (Гуре)
Estimated Population o	f	for the year
COMMENTS: Inspected by	y Edworff and	Evert 7/11/91
22 acres	-2 cleared	large hours
. 20 cotte, Ha	Smarcos	spert
walts to plan	tend try	to Saction of
X-Muss tree	s. Single	- Danasti.
	1121. 121 +	vap But a by Beal
Lots of heavy	Egaphen 50	
	/	odge of Port Towns



THER USES FROM THIS SOURCE:	
THER WATER RIGHTS [] APPURTENANT TO THIS LAND OR [] FROM THIS STREAM:	
ROXIMITY TO EXISTING WELLS, SPRINGS, STREAMS, ETC.:	
LOW [] MEASUREMENT OR [] ESTIMATE (CFS or G	
AMILY FARM: [] Yes [>] No	
Date Waiver Sent to Applicant: Date Signed Waiver Received:	
ISHERIES COMMENTS:	
PROTEST PERIOD EXPIRES: PROTESTED: [] Yes []	No
COMMENTS REGARDING PROTEST:	
·	
RESEARCH CHECKLIST	
[] Instream Resources Protection [] Surface Water Source Limitations	
Program [] Closure	
[] Metsker [] Well Logs [] Waste Discharge	
Computer Printouts 5 3 Claims Registry 5 3 Copy to DSHS	
SEPA: [] Exempt [] DNS [] Final EIS Date of SEPA Action:	

Date of Exam:

Examiner:

WATER WELL REPORT STATE OF WASHINGTON

Application No.

Bearing and distance from section or subdivision corner	nd and nature o	of the materi	cture, and
Countries Coun	er, size of mater	30 _{N., R}	icture, ar
Company Comp	er, size of mater	of the materi	ial in eac formatio
Irrigation Test Well Other	nd and nature o	of the materi	ial in eac formatio
Irrigation Test Well Other	nd and nature o	of the materi	ial in eac formation
Stratum penetrated, with at least one	ted grav	change of	formatio
New well Method: Dug Bored Clay Grown 9f Reconditioned Rotary Jetted Clay Grown 9f Clay Grow	ted grav	FROM O Jel 4	4 60
Deepened Reconditioned Driven Rotary Jetted	ted grav	Jel 4 60	60
DIMENSIONS: Depth of completed well Le Inches	ted grav	Jal 4 60	60
Drilled SOS ft. Depth of completed well 30.5 ft.	rasel	60	20
Casing installed: Q Diam. from Off. to 300 ft. Threaded Diam. from ft. to ft. Welded Diam. from ft. to ft. Welded Diam. from ft. to ft. Perforations: Yes Diam. from ft. to ft. Perforations: Yes No Diam. from ft. to ft. SIZE of perforations in. by in. perforations from ft. to ft. Screens: Yes D No Diam. Q Siot size from 100 ft. to 305 ft. Diam. Slot size from ft. to ft. Gravel packed: Yes No Diam. ft. to ft. Surface seal: Yes No Diam. ft. to ft. Surface seal: Yes No Diam. ft. to ft. Surface seal: Yes No Diam. ft. to ft. Material used in seal. Did any strata contain unusable water? Yes No Diam. Method of sealing strata off. [7] PUMP: Manufacturer's Name. Type: HP	ravel	60	20
Casing installed:			20
Casing installed: Q " Diam from Q ft. to JQQ ft. Threaded		20.5	101
Perforations: Yes No Size of gravel: Gravel packed: Yes No Size of gravel: Gravel packed: Yes No Size of gravel: Gravel packed: Yes No To what depth? Material used in seal Did any strata contain unusable water? Yes No Depth of strata Method of sealing strata off. Type: HP Manufacturer's Name Model No Size of gravel: Gravel packed: Yes No Depth of strata Method of sealing strata off. Type: HP Manufacturer's Name Model No Size of gravel: Material used in seal Did any strata contain unusable water? Yes No Depth of strata Method of sealing strata off. Manufacturer's Name Type: HP		403	do
Perforations: Yes \bigcap No \bigcap Type of perforator used. SIZE of perforations in. by in. perforations from ft. to ft. Screens: Yes \bigcap No \bigcap Ohn SOn Manufacturer's Name Ohn SOn Type Model No Diam Slot size from ft. to ft. Gravel packed: Yes \bigcap No \bigcap Size of gravel: Gravel packed: Yes \bigcap No \bigcap To what depth? ft. Material used in seal Did any strata contain unusable water? Yes \bigcap No \bigcap Type of water? Depth of strata Method of sealing strata off (7) PUMP: Manufacturer's Name Type: HP		201	27
Type of perforator used SIZE of perforations in. by in. perforations from ft. to ft. Screens: Yes No Domeson ft. to ft. Screens: Yes No Domeson ft. to ft. Screens: Yes No Domeson ft. to ft. Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? Material used in seal Did any strata contain unusable water? Yes No Fixed ft. Material used in seal Method of sealing strata off. [7] PUMP: Manufacturer's Name ft. Type: HP		101	7
SIZE of perforations in. by in. perforations from ft. to ft. to ft. perforations from ft. to ft. in. perforations from ft. to ft. perforations from ft. to ft. in. perforations from ft. in. perforations ft. perforations from ft. in. perforations ft. per	<u> </u>	275	280
perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft. Screens: Yes No ON SON Manufacturer's Name Nodel No Diam Slot size from ft. to ft. Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? Material used in seal Did any strata contain unusable water? Yes No Type of water? Method of sealing strata off (7) PUMP: Manufacturer's Name Type: HP		20.0	20
Screens: Yes No DANSON Manufacturer's Name DANSON Type Model No Diam Q Slot size Trom Oft. to JOS ft. Diam Slot size from ft. to ft. Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? ft. Material used in seal Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off. (7) PUMP: Manufacturer's Name Type: HP		980	30
Screens: Yes No Ohnson Manufacturer's Name Ohnson Type Model No Diam. Slot size from Oft. to Oth. Diam. Slot size from ft. to ft. Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? ft. Material used in seal Did any strata contain unusable water? Yes No Type of water? Method of sealing strata off Type: HP		-	
Manufacturer's Name			
Type Model No Diam. Slot size from ft. to JOS ft. Diam. Slot size from ft. to ft. Gravel packed: Yes No Size of gravel: Grevel placed from ft. to ft. Surface seal: Yes No To what depth? ft. Material used in seal. Did any strata contain unusable water? Yes No Type of water? Method of sealing strata off. Type: HP			
Diam. Slot size from \$100 ft. to \$105 ft. Diam. Slot size from ft. to ft. Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? ft. Material used in seal. Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off. Type: HP.			
Gravel packed: Yes No Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? ft. Material used in seal. Did any strata contain unusable water? Yes No Type of water? Method of sealing strata off. Type: HP			-
Gravel placed fromft. toft. Surface seal: Yes			
Surface seal: Yes No To what depth? Material used in seal Did any strata contain unusable water? Yes No Type of water? Method of sealing strata off (7) PUMP: Manufacturer's Name Type: HP	. 87	73	
Material used in seal		17	
Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off. (7) PUMP: Manufacturer's Name. Type: HP.			
Type of water? Depth of strata Method of sealing strata off (7) PUMP: Manufacturer's Name Type: H.P.		1.	<u></u>
(7) PUMP: Manufacturer's Name	. 70	-	
Type:	-)	!	
Туре:	<u> </u>		ļ
Total and the state of the stat		+	
(8) WATER LEVELS: Land-surface elevation above mean sea levelft.			
Static level 975 ft. below top of well Date			
Artesian pressure			
(Cap, valve, etc.)			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	۲	1.1.1	0.01
Was a pump test made? Yes D No D If yes, by whom?	Completed.	surgi	, 190
Yield: gal./min. with ft. drawdown after hrs. WELL DRILLER'S STATEM			
This well was drilled under n	ny jurisdiction ge and belief.	and this	report i
Recovery data (time taken as zero when pump turned off) (water level	. 7	7:11	•
measured from well top to water level) Time Water Level Time Water Level Time Water Level NAME (Person, firm, or co	iams 1	771111	ng
10 11 C		(Type of or	15
Address / A / W. OR	umou	ry K	بال
Date of test	1,10	ines	
1) 1) [Digited]	Well Driller)	wyw.	
Artesian flow g.p.m. Date 414	wen Dimer)	ily de	108/
Temperature of water	Date 7		,

CHRISTINE O. GREGOIRE Director



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

September 17, 1990

Jerold & Margaret Fink Post Office Box 416 Sequim, Washington 98382

Re: Ground Water Application No. G 2-27800

Dear Mr. & Mrs. Fink:

We acknowledge receipt of affidavits of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

Also, the statutes prescribe that a field examination must be made before a permit may be issued. This examination will be carried out during the next visit to your area by one of our field examiners. However, we are not able, at this time, to forecast the date of that visit.

Sincerely,

Sheri Fox

Water Resources

SF:ch



STATE OF WASHINGTON DEPARTMENT OF ECOLOGY NOTICE OF APPLICATION TO AP-PROPRIATE PUBLIC WATERS

TAKE NOTICE:
That William and Janet Perka of
Port Townsend, Washington on June 29, 1990 under Application No. G227796 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 40 gallons per minute as needed year round each year, for single domestic supply, stockwater and irrigation dur-ing the irrigation season. The source of the proposed appropriation is located with SW1/4 NE1/4 of Section 17, Township 30 N., Range 1 W W.M., in Jefferson County.

Protests or objections to approval of this application must include a de-

tailed statement of the basis for objections: protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from July 25, 1990. DEPARTMENT OF ECOLOGY Southwest Regional Office 7272 Cleanwater Lane MS/LU 11 Olympia, Washington 98504-6811 2182 7-25

Affici it of Publication

STATE OF WASHINGTON)

COUNTY OF JEFFERSON

FRANK W. GARRED, being sworn, says he is the publisher of the Port Townsend/Jefferson County Leader, a weekly newspaper which has been established, published in the Engitsh language and circulated continuously as a weekly newspaper in the town of Port Townsend, in said County and State, and for general circulation in said county for more than six (6) months prior to the date of the first publication of the Notice hereto attached, and that the said Port Townsend/Jefferson County Leader was on the 27th day of June 1941, approved as a legal newspaper by the Superior Court of said Jefferson County, and that annexed is true copy of the

Notice of application to appro priate public waters

Application #G227796 William and Janet Perka

as it appeared in the regular and entire issue of said paper itself and not in a supplement thereof for a period of

__consecutive weeks, beginning on the

two

	18thday of July, 19 90
	and ending on the 25th day of July
	19, and that said newspaper was regularly distributed to its subscribers during all of this period. That the full amount
	of \$ 49.50 has been paid in full, at the rate of \$5.50 per column inch for each insertion.
30000	Subscribed and sworn to before me this 25th of
300	July 90
	Notary Public in and for the State of Washington, residing at Hadlock.
	grow, residing of Hadiock.

CHRISTINE O. GREGOIRE



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

September 7, 1990

William and Janet Perka
Post Office Box 1411
Port Townsend, Washington 98368

Re: Ground Water Permit No. G 2-27796

Dear Mr. & Mrs. Perka:

On July 9, 1990, this office sent a notice to you for publication in a newspaper within Jefferson County.

We have not received the necessary Affidavit of Publication and, therefore, cannot continue to process your application.

Please reply within thirty (30) days <u>or</u>, if you are no longer interested in the application, please sign the statement below and return to this office.

Sincerely,

Sheri Fox

Water Resources

SF:th

I AM NO LONGER INTERESTED IN PROCESSING GROUND WATER APPLICATION NO. G 2-27796 AND HEREBY AGREE TO IT BEING CANCELLED.

(Signature)

PLEASE NOTIFY OF ADDRESS CHANGE



CHRISTINE O. GREGOIRE Director



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353 July 9, 1990

William and Janet Perka
Post Office Box 1411
Port Townsend, Washington 98368

Re: Ground Water Permit No. G 2-27796

Dear Mr. & Mrs. Perka:

Your application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published <u>once a week for two consecutive weeks</u> in a qualified legal newspaper of general circulation in Jefferson County. A list of these newspapers in your county is enclosed.

Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly. This will shorten the time for further processing of your application.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the local health department or the Department of Social and Health Services (DSHS), depending upon system size. If you have not already done so, I suggest that you contact your local health department or DSHS, Water Supply and Waste Section, Mail Stop LD-11, Olympia, Washington 98504, for further information.

Sincerely,

Sheri Fox Water Resources

SF:th Enclosures

S

STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:				
That William and Janet F	erka			
ofPort Townsend, Washingt		on Jun	e 29, 1990	under
Application No.				
froma. well				
in the amount of40 gallons per.	minute.as.needed.year	round		
each year, for group domestic su	pply, stockwater and	irrigation during	the irrigatio	n
The source of the proposed appropriati				
Protests or objections to approval of orotests must be accompanied by a two dots shown below, within thirty (30) days from	this application must include	le a detailed statement o	of the basis for obje	ections;
Last date of publication to be entered above by publ	isher)			
** Notice is to be published	once a week for two o	onsecutive weeks		
	DEPART	MENT OF ECOLOGY		

Southwest Regional Office

7272 Cleanwater Lane MS/LU 11

Olympia, Washington 98504-6811

NOTICE

